

1. Identification

Product Identifier	:	Sulfur Hexafluoride
Other means of identification	:	Sulfur Fluoride (SF6), Sulfur Hexafluoride, SF6, UN1080
Product use	:	Synthetic, Analytical chemistry
Supplier	:	Leland Limited, Inc. 2614 South Clinton Ave. South Plainfield, NJ 07080 1-908-561-2000 (8-4 EST)
Emergency calls	:	
Hazmat Service Inc.	:	1-800-373-7542 (Domestic)
Contract #1264	:	1-484-951-2432 (International)

2. Hazards Identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200).

Classification of the substance or mixture : Gases under pressure – Liquefied gas

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazards statements : Contains gas under pressure; may explode if heated.
May cause frostbite.
May displace oxygen and cause rapid suffocation.

Precautionary statements

General	:	Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction. Always keep container in upright position.
Prevention	:	Use and store outdoors or in a well ventilated place.
Response	:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Storage	:	Protect from sunlight when ambient temperature exceeds 40C/104F. Store in a well-ventilated place.
Disposal	:	Dispose in accordance with all applicable regulations.
Hazards not otherwise classified	:	In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

3. Composition, Information on Ingredients

Substance/Mixture	: Substance
Chemical Name	: Sulfur Hexafluoride
Synonyms	: Sulfur Fluoride (SF6), Sulfur Hexafluoride, SF6, UN1080
CAS Number	: 2551-62-4
Content (vo%)	: 99.5 % or more

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. First Aid Measures

Description of necessary first aid measures

Inhalation	: Remove exposed person to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin Contact	: Sulfur Hexafluoride is harmless at atmospheric pressure. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact	: Sulfur Hexafluoride is harmless at atmospheric pressure. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Ingestion	: Since this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation	: No known significant effects or critical hazards.
Skin Contact	: No known significant effects or critical hazards.
Eye Contact	: No known significant effects or critical hazards.
Frostbite	: Try to warm up the frozen tissues and seek medical attention.
Ingestion	: Since this product is a gas, refer to the inhalation section.

Over-exposure signs/symptoms

Inhalation	: No specific data.
Skin Contact	: No specific data.
Eye Contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments : No specific treatment.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

5. Fire Fighting Measures

Extinguishing media

- Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media : None known.
- Specific hazards arising from the chemical : Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.
- Hazardous thermal decomposition products : Decomposition products may include the following materials:
Sulfur oxides
Halogenated compounds
- Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters : Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions : Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill : Immediately contact emergency personnel. Stop leak if without risk.

Large spill : Immediately contact emergency personnel. Stop leak if without risk. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and Storage

Precautions for safe handling

- Protective measures : Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
- Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 40C (104F).

8. Exposure Controls and Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Sulfur Hexafluoride	OSHA PEL Z2 (United States, 11/2006) TWA: 205 mg/m ³ 8 hours. From: Dust ACGIH TLV (United States, 3/2012). TWA: 5970 mg/m ³ 8 hours TWA: 1000 ppm 8 hours. NIOSH REL (United States, 1/2013). TWA: 6000 mg/m ³ 10 hours TWA: 1000 ppm 10 hours. OSHA PEL (United States, 6/2010). TWA: 6000 mg/m ³ 8 hours TWA: 1000 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 6000 mg/m ³ 8 hours TWA: 1000 ppm 8 hours.

- Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure control : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures
- Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the lavatory and at the end of your shift.
Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/Face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical and Chemical Properties

Appearance

Physical state	: Gas [NOTE: Shipped as a liquefied compressed gas. Condenses directly to a solid upon cooling.]
Color	: Colorless
Molecular weight	: 146.06 g/mol
Molecular formula	: F6-S
Melting/freezing point	: -50.8C (-59.4F)
Critical temperature	: 45.5C (113.9F)
Odor	: Odorless
Odor threshold	: Not available.
pH	: Not available.
Flash point	: [Product does not sustain combustion.]
Burning time	: Not applicable.
Burning rate	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 320 psig
Vapor density	: 5 (Air = 1)
Specific Volume	: 2.5994 ft ³ /lb
Gas Density	: 0.3847 lb/ft ³
Relative density	: Not applicable.
Solubility	: Not available.
Solubility in Water	: 0.031 g/l
Partition coefficient: n-octanol/water	: 1.68
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not applicable.

10. Stability and Reactivity

Reactivity	: No specific test data related to reactivity is available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological Information

Information on toxicological effects

Acute toxicity	: Not available.
Irritation / Corrosion	: Not available.
Sensitization	: Not available.
Mutagenicity	: Not available.
Carcinogenicity	: Not available.
Reproductive toxicity	: Not available.
Teratogenicity	: Not available.
Specific target organ toxicity (single exposure)	: Not available.
Specific target organ toxicity (repeated exposure)	: Not available.
Aspiration hazard	: Not available.
Information on the likely routes of exposure	: Not available.

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Since this product is a gas, refer to the inhalation section.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects – Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates	: Not available.
--------------------------	------------------

12. Ecological Information

Toxicity : Not available.
Persistence and degradability : Not available.

Bioaccumulative potential

Product/Ingredient name	Log P _{ow}	BCF	Potential
Sulfur Hexafluoride	1.68	-	low

Mobility in soil

Soil/Water partition coefficient (K_{OC}) : Not available.
Other adverse effects : No known significant effects or critical hazards.

13. Disposal Considerations

Discharge of Carbon Dioxide : Gradually release in open air.
Disposal of Cylinders : If gas remains in cylinders, release gas with proper equipment and dispose of cylinders as incombustible waste.
For empty cylinders, check for a puncture hole and dispose of as incombustible waste.
Do not dispose of cylinders without first checking that all gas has been released.

14. Transport Information

DOT / IMDG : Sulfur Hexafluoride
Shipping Name :
UN Number : UN 1080
Hazard Class (Division) : 2 (2.2)
Placard (When required) : Nonflammable gas



Special Shipping Information : See CFR 49, 172.101, 173.306 for exceptions of labeling.
IMDG / IMO : Receptacles, small containing gas (Gas Cartridge < 50ml)
Proper Shipping Name :
UN Number : UN 2037
Hazard Class (Division) : 2 (2.2)
Special Provision : See Code 191
IATA : Receptacles, small containing gas
Proper Shipping Name :
UN Number : UN 2037
Hazard Class (Division) : 2 (2.2)
Special Provision : See Code A98

15. Regulatory Information

The following selected regulatory requirements may apply to this product. Not all such requirements are identified. Users of this product are solely responsible for compliance with all applicable federal, state, and local regulations.

U.S. Federal Regulations	:	None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.
SARA 311/312	:	Fire hazard : No
Hazardous Categories	:	Sudden release of pressure : Yes
	:	Reactive : No
	:	Immediate (acute) health hazard : No
	:	Delayed (chronic) health hazard : No
State Regulations	:	Massachusetts : This material is listed.
	:	New York : This material is not listed.
	:	New Jersey : This material is listed.
	:	Pennsylvania : This material is listed.
	:	California : This material is listed.
	:	Not regulated under CA Proposition 65.
International Regulations	:	Canada inventory This material is listed or exempted.
	:	Australia inventory (AICS) This material is listed or exempted.
	:	China inventory (IECSC) This material is listed or exempted.
	:	Japan inventory This material is listed or exempted.
	:	Korea inventory This material is listed or exempted.
	:	Malaysia inventory (EHS Register) Not determined.
	:	New Zealand inventory of Chemicals (NZIoC) This material is listed or exempted.
	:	Philippines inventory (PICCS) This material is listed or exempted.
	:	Taiwan inventory (CSNN) Not determined.

16. Other Information

Hazard Rating Systems	:	NFPA Ratings	HMIS Ratings
	:	Health = 2	Health = 1
	:	Flammability = 0	Flammability = 0
	:	Reactivity = 0	Physical hazards = 2
	:	Special =	

Key to abbreviations

ACGIH	:	American Conference of Governmental Industrial Hygienists
BCF	:	Bioconcentration Factor
CAS	:	Chemical Abstract Services
CERCLA	:	Comprehensive Environmental Response, Compensation, and Liability Act

CFR	:	United States Code of Federal Regulations
DOT	:	Department of Transportation
GHS	:	Globally Harmonized System of Classification and Labeling of Chemicals
IATA	:	International Air Transport Association
IMDG	:	International Maritime Dangerous Goods
IMO	:	International Maritime Organization
Log P _{ow}	:	Logarithm of the octanol/water partition coefficient
NIOSH	:	National Institute for Occupational Safety and Health
OSHA	:	Occupational Safety and Health Administration
STEL	:	Short-term Exposure Limit
SARA	:	Superfund Amendments and Reauthorization Act
TLV	:	Threshold Limit Value
TSCA	:	Toxic Substances Control Act
TWA	:	Time Weighted Average

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee they are the only hazards that exist.